



Customer Service Center  
Initial Patent Examination Division,

Please find enclosed a copy of the abstract for this application. (Application number 10/068,935 'A Roof Vent System Which Prevents Roof Loss / Lift Off in High Winds'). This is a shortened version of the abstract that is provided in the original application on page one after the table of contents. Hopefully the enclosed copy will be O.K. and the problem was that I did not provide a separate abstract. Thanks very much for your time.

Sincerely,

St. Jean Orridge

(441) 231 3262



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/068,935	02/11/2002	St. Jean Inglis Orridge	

CONFIRMATION NO. 2322

FORMALITIES LETTER



\*OC000000007589313\*

St. Jean Orridge  
18, Long Point Lane, Cavello Bay  
Somerset, MA05  
BERMUDA

Date Mailed: 03/06/2002

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- An abstract was not provided for this application. An abstract of the technical disclosure is required under 37 CFR 1.72(b).

*A copy of this notice **MUST** be returned with the reply.*

*Hayer*  
Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE